

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/578249	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 12:28
L2	66	marking with wood with laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 12:28
L3	9	marking with laser and density with depth with position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 12:29
L4	463	marking with laser with dot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 12:32
L5	187	marking with laser and position with marking and density with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 12:34
L6	59	marking with laser and position with marking and density with marking and depth with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 13:07
L7	2	polycarbonate with marking with laser and density with position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 13:16

L8	42	polycarbonate with marking with laser and position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 13:16
L9	9	polycarbonate with marking with laser and dot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 13:19
L10	12	polycarbonate with marking with laser and three with dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 13:21
L11	124	object with marking with laser and three with dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 13:21
L12	318	(347/240).CCLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 13:48
L13	1	two-dimensional with coordinate with data with marking with pattern with pixels and depth with marking with data with three-dimensional with coordinate with data with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 13:59
L14	1	dimensional with coordinate with data with marking with pattern with pixels and depth with marking with data with three-dimensional with coordinate with data with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:00

L15	1	coordinate with data with marking with pattern with pixels and depth with marking with data with three-dimensional with coordinate with data with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:00
L16	1	coordinate with data with marking with pixels and depth with marking with data with three-dimensional with coordinate with data with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:00
L17	1	coordinate with data with marking with pixels and depth with marking with data with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:00
L18	1	data with marking with pixels and depth with marking with data with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:00
L19	1	marking with pixels and depth with marking with data with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:00
L20	14	marking with pixels and depth with marking with diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:01
L21	6	bitmap and diameter with depth and marking with laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:03
L22	323	diameter with depth and marking with laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:03

L23	255	diameter with depth and marking with laser and position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:04
L24	6	diameter with depth and marking with laser and position with pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:04
L25	13	diameter with marking and marking with laser and position with pixel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:04
L26	8	diameter with marking and marking with laser and pixel with pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:05
L27	105	pixel with position and marking with laser and depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 14:26
L28	2	marking with pattern with coordinate with pixel and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 15:51
L29	434	pattern with coordinate with pixel and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 15:51
L30	7	pattern with coordinate with pixel and laser with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 15:52

L31	0	pattern with coordinate with pixel and laser with marking and x-y-z	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 15:52
L32	1	pattern with coordinate with pixel and laser with marking and z near coordinate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 15:53
L33	7	pixel with diameter with marking and laser with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:00
L34	206	pixel with marking and laser with marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:02
L35	82	pixel with marking and laser with marking and diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:03
L36	15	pixel with marking and laser with marking and marking with three-dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:04
L37	20	laser near3 marking and bitmap and three near dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:08
L38	1787	laser near3 marking and position and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:10

L39	175	laser near3 marking and position with thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:10
L40	0	laser with marking and three-dimension near3 position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:23
L41	82	laser with marking and three-dimensional near3 position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:24
L42	11	laser with marking with object and three-dimensional near3 position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:28
L43	34	marking with object and laser with marking and three-dimensional with coordinate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:30
L44	17	mark with laser with marking and three-dimensional with coordinate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:32
L45	15	laser with marking and density with dot with depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:36
L46	0	laser with machining and depth with pixel near3 density	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:40

L47	0	laser with machining and thickness with pixel near3 density	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:40
L48	2	laser with machining and thickness with pixel near3 density	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:40
L49	16	marking with pixel with thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:44
L50	6	marking with pixel with thickness and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:44
L51	463	marking with laser with dots	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:45
L52	171	marking with laser with dots and density	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:45
L53	51	"5575936"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:59
L54	2	("5575936").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 17:01

L55	0	etch near3 point and laser and resin with tranparent with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:09
L56	6	etch near3 point and laser and resin with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:09
L57	81	etch near3 point and laser and resin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:10
L58	496	etch and laser and resin with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:11
L59	0	laser with etch and workpiece with resin and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:21
L60	7	laser with etching and workpiece with resin and color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:21
L61	1	laser with etching and workpiece same resin with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:22
L62	9	etching and workpiece same resin with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:22

L63	243	etching and object same resin with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:23
L64	106	etching and object same resin with color and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:23
L65	138	etching and workpiece with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:25
L66	46	etching and workpiece with color and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:25
L67	293	etching and workpiece with resin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:30
L68	1	etching and workpiece with resin and resin near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:31
L69	5	etching and workpiece with resin and resin with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:31
L70	8215	polycarbonate with resin and resin with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:32

L71	1437	polycarbonate with resin with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:32
L72	49	polycarbonate with resin with color and marking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:32
L73	2	etching with dot with diameter with laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:34
L74	0	("2002/0034881").URPN.	USPAT	OR	ON	2009/03/25 17:35
L75	22	etching with laser and dot with diameter with laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:36
L76	2	("6,037,968").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 17:39
L77	14	("6037968").URPN.	USPAT	OR	ON	2009/03/25 17:40
L78	2	("6,087,617").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 17:43
L79	29	("6087617").URPN.	USPAT	OR	ON	2009/03/25 17:48
L80	2	("6207344").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/25 18:05

3/ 25/ 2009 6:11:26 PM

C:\Documents and Settings\sai-hashimi\My Documents\EAST\Workspaces\10578249_2.wsp